

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050028208".pn. and (analog and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:27
L2	0	"7114174".pn. and (analog and digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:30
L3	0	"7114174".pn. and (analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:30
L4	0	"7114174".pn. and analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 15:31
L5	8	weaver.in. and encod\$3 and metadata	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 16:02
S218	22	(encod\$3 transcod\$3) with (MPEG with "H.324")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:04
S219	27990	(encod\$3 transcod\$3) with (MPEG)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:21
S220	247	(encod\$3 transcod\$3) with (MPEG with H)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:21
S221	127	S220 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:22
S222	2	tran.xa. and trang.xa. and michael.xp. and lee. xp. and IEEE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:34
S223	50	tran.xa. and trang.xa. and michael.xp. and lee. xp. and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:35

S224	4754	encod\$4 with (different plurality) with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:42
S225	5594	encod\$4 with (different plurality) with format\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:42
S226	449266	"87" and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:43
S227	3336	S225 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:43
S228	142	S225 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113") and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:43
S229	26	S225 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113") and "725"/78-85,100,131,133,139,141,151,153. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:44
S230	603	(encod\$4 convert\$4 transcod\$4 reformat\$4) with (plurality different multiple) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113") and "725"/78- 85,100,131,133,139,141,151,153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:45
S231	105	(encod\$4 convert\$4 transcod\$4 reformat\$4) with (plurality different multiple) with (format\$3 MPEG) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113") and "725"/78-85,100,131,133,139,141,151,153. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 20:46
S232	21	huynh.xa. and son.xa. and faile.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:26
S233	548	(encod\$3 transcod\$3) same MPEG same H	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:28
S234	303	S233 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:28
S235	40	S233 and (@ad<="20001114" or @rlad<="20001114" or @prad<="20001114") and ("370"/\$.ccls. or "725"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 21:29

S236	2	"5818439".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 00:00
S237	0	"5818439".pn. and channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 00:00
S238	3	picco.in. and local near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:21
S239	28845	encod\$3 with parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 19:48
S240	13994	encod\$3 near3 parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 19:48
S241	1478	encod\$3 near3 parameter\$1 same format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 19:48
S242	145	encod\$3 near3 parameter\$1 same format\$3 same MPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 19:48
S243	88	S242 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 19:49
S244	140	encod\$3 near3 parameter\$1 same format\$3 same quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:14
S245	113	S244 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:14
S246	13	Nagasaka.in. and digest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:35
S247	0	Nagasaka.in. and digest and encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:35

S248	5	Nagasaka.in. and digest and interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:35
S249	74495	chang\$3 with encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:40
S250	2140	chang\$3 with encod\$3 with parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:40
S251	829	chang\$3 with encod\$3 with parameter\$1 and (decod\$3 with parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:40
S252	32	chang\$3 with encod\$3 with (format\$4 version) with parameter\$1 and (decod\$3 with parameter \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:41
S253	24	S252 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:41
S254	116	vivek.xp. and encod\$3 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:45
S255	49	vivek.xp. and encod\$3 and quality and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:45
S256	39	vivek.xp. and encod\$3 and quality and level and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 20:45
S257	945	Encod\$3 with "H.263" and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 21:04
S258	176	Encod\$3 with "H.263" same format\$3 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 21:04
S259	60	Encod\$3 with "H.263" same parameter\$1 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 21:04

S260	571	(encod\$3 decod\$3) with (hint\$1 parameter\$1 information) same ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:00
S261	80	(encod\$3 decod\$3) with (hint\$1 parameter\$1 information) same ((out near3 band) or OOB) same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:00
S262	54	S261 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:00
S263	350	(decod\$3) with (hint\$1 parameter\$1 information) same ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:06
S264	196	S263 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:06
S265	73	(decod\$3) with (hint\$1 parameter\$1) same ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:08
S266	37	S265 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:08
S267	60	(encod\$3) with (hint\$1 parameter\$1) same ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:12
S268	27	S267 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:12
S269	771	(decod\$3) with (data information) same ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:14
S270	239	(encod\$3 decod\$3) with (hint\$1 parameter\$1 information) with ((out near3 band) or OOB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:15
S271	142	S270 and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:15

S272	197	decod\$3 with metadata and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:23
S273	24719	(encod\$3 decod\$3) with (hint\$1 parameter\$1) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:24
S274	718	(encod\$3 decod\$3) with (hint\$1 parameter\$1) and (out near3 band) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:24
S275	45	(encod\$3 decod\$3) with (hint\$1 parameter\$1) same (out near3 band) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:25
S276	25179882	(encod\$3 decod\$3) with (hint\$1 parameter\$1) and (out near3 band) and header with packetand (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:25
S277	202	(encod\$3 decod\$3) with (hint\$1 parameter\$1) and (out near3 band) and (header with packet) and (@ad<="20011113" or @rlad<="20011113" or @prad<="20011113")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:26

9/12/08 4:23:49 PM

C:\Documents and Settings\ahuynh1\My Documents\EAST\workspaces\10008581.wsp